

●:STANDARD ○:OPTIONAL - :N/A

STANDARD: EN39: 2001

NOMINAL DIAMETER		WALL THICKNESS	WEIGHT	ENDS			SURFACE TREATMENT				MARK	
INCH	MM	MM	KG/M	PLAIN END	SCREWED AND SOCKETED	SWAGED	BARE	PAINTED	OILED	HOT DIPPED GALVANIZED	EMBOSSING	PRINT
1-1/2"	48.3	3.2	3.56	●	○	-	●	○	○	○	○	○
		4.0	4.37	●	○	-	●	○	○	○	○	○

JIS G3444: 2015 STK400/500

NOMINAL DIAMETER		WALL THICKNESS	WEIGHT	ENDS			SURFACE TREATMENT				MARK	
INCH	MM	MM	KG/M	PLAIN END	SCREWED AND SOCKETED	SWAGED	BARE	PAINTED	OILED	HOT DIPPED GALVANIZED	EMBOSSING	PRINT
1/2"	21.7	2.0	0.972	●	○	○	●	○	○	○	○	○
3/4"	27.2	2.0	1.240	●	○	○	●	○	○	○	○	○
		2.3	1.410	●	○	○	●	○	○	○	○	○
1"	34.0	2.3	1.800	●	○	○	●	○	○	○	○	○
1-1/4"	42.7	2.3	2.290	●	○	○	●	○	○	○	○	○
		2.5	2.480	●	○	○	●	○	○	○	○	○
1-1/2"	48.6	2.3	2.630	●	○	○	●	○	○	○	○	○
		2.5	2.840	●	○	-	●	○	○	○	○	○
		2.8	3.160	●	○	-	●	○	○	○	○	○
		3.2	3.580	●	○	-	●	○	○	○	○	○
2"	60.5	2.3	3.300	●	○	○	●	○	○	○	○	○
		3.2	4.520	●	○	-	●	○	○	○	○	○
		4.0	5.570	●	○	-	●	○	○	○	○	○